


# CHOOSING THE RIGHT BULB FOR YOUR APPLICATION

Metal halide bulbs (lamps) come standard in DYMAX UV light curing systems to match the cure chemistry of most high performance UV curing acrylate and cationic epoxy adhesives and coatings.

## Metal Halide "D" (Iron) Spectrum for Most High Performance Light Curing Adhesive and Coating\* Applications



### OTHER BULBS OFFER CURING OPTIONS

For curing UV inks and some (usually very thin layer) UV coatings, Mercury bulbs provide better surface cures faster.  
[Order DYMAX 400 Watt Bulb: 36970](#)

For applications where visible light is predominantly required for curing bonds between UV blocking plastics, visible indium or "V" bulbs are best.  
[Order DYMAX 400 Watt Bulb: 36658](#)

*For further assistance with adhesive and equipment selection, contact your DYMAX Applications Engineer.*

In the U.S. Call: 877.396.2988  
In North and South America Call: 860.482.1010  
In Europe Call: 0049.69.7165.3568  
In Asia Call: 852.2460.7038

[www.dymax.com](http://www.dymax.com)  
[www.dymax.de](http://www.dymax.de)  
[www.dymax.com.cn](http://www.dymax.com.cn)

© 2003, 2007 DYMAX Corporation

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. DYMAX does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in DYMAX's standard Conditions of Sale. DYMAX does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than DYMAX or act as a grant of license under any DYMAX Corporation Patent. DYMAX recommends that each user adequately test its proposed use and application before actual repetitive use, using the data contained in this bulletin as a general guide. Bulb Maintenance and Troubleshooting Web Lit

DYMAX Corporation - 318 Industrial Lane - Torrington, CT 06790 - Phone: 860.482.1010 - Fax: 860.496.0608 - E-mail: [info@dymax.com](mailto:info@dymax.com) - [www.dymax.com](http://www.dymax.com)

DYMAX Europe GmbH - Trakehner Strasse 3 - D-60487 Frankfurt am Main - Germany - Phone: 0049.69.7165.3568 - Fax: 0049.69.7165.3830 - E-mail: [dymaxinfo@dymax.de](mailto:dymaxinfo@dymax.de) - [www.dymax.de](http://www.dymax.de)

DYMAX Asia (HK) - Unit 1006, 10/F., Carnarvon Plaza, No. 20, Carnarvon Road, T.S.T., Kowloon, Hong Kong - Phone: 852.2460.7038 - Fax: 852.2460.7017 - E-mail: [simon\\_ang@dymax.com](mailto:simon_ang@dymax.com) - [www.dymax.com.cn](http://www.dymax.com.cn)

DYMAX®, Light-Weld®, Light-Welder®, Multi-Cure®, Ultra Light-Weld®, MEDI-CURE®, MD® and SPEEDMASK® are trademarks of DYMAX Corporation