

NEWS RELEASE

For Immediate Release
October 19, 2009

Contact: Applications Engineering

Stephen LaCroce Joins DYMAX as Director of Applied Technology

DYMAX Corporation, the world-leading manufacturer of advanced light-curable adhesives, coatings, and curing equipment, is pleased to announce the appointment of Stephen LaCroce as the Director of Applied Technology. In his new position, Mr. LaCroce will report to Terry Woldorf, Chief Growth Officer, and he will manage the combined activities of the Applications Engineering and Market Segment Departments.

Mr. LaCroce brings to DYMAX over 25 years of international marketing, product management and technical experience in the sales development of technology-based materials and products. He received his B.S. in chemistry from Fairfield University, an M.S. in Chemistry from Wesleyan University, an M.B.A. from the University of New Haven and holds Six Sigma Champion certification from BMG International.

DYMAX Corporation is a leading technology-based company specializing in the formulation, manufacture, and service of advanced assembly adhesives, coatings, epoxies, masking resins, and light-curing systems.

For more information, contact DYMAX Corp., 318 Industrial Lane, Torrington, CT 06790; Phone: 860-482-1010; Fax: 860-496-0608; Toll Free: 1-877-DYMAX-UV (1-877-396-2988); e-mail: info@dymax.com or visit our website at www.dymax.com.

CAPTION

Stephen LaCroce, DYMAX Corporation's Director of Applied Technology



#

Technical data provided is of a general nature and is based on laboratory test conditions. DYMAX does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in DYMAX standard Conditions of Sale. DYMAX does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this communication shall act as a representation that the product use or application will not infringe on a patent owned by someone other than DYMAX or act as a grant of license under any DYMAX Corporation Patent. DYMAX recommends that each user adequately test its proposed use and application before actual repetitive use, using the data in this communication as a general guideline. P210

DYMAX Corporation - 318 Industrial Lane - Torrington, CT 06790 - Phone: 860-482-1010 - Fax: 860-496-0608 - E-mail: info@dymax.com - www.dymax.com

DYMAX Europe GmbH - Trakehner Strasse 3 - D-60487 Frankfurt am Main - Germany - Phone: 0049-69-7165-3568 - Fax: 0049-69-7165-3830 - E-mail: dymaxinfo@dymax.de - www.dymax.de

DYMAX UV Adhesives & Equipment (Shenzhen) Ltd - Unit 807, Talfook Building, No. 9 Shi Hua Road, Futian Free Trade Zone, Shenzhen, China 518038 - Phone: 86.755.83485759 - Fax: 86.755.83485760 - E-mail: dymaxasia@dymax.com - www.dymax.com.cn

DYMAX Asia (HK) - Unit 1006, 10/F., Carnarvon Plaza, No. 20, Carnarvon Road, T.S.T., Kowloon, Hong Kong - Phone: 852-2460-7038 - Fax: 852-2460-7017 - E-mail: dymaxasia@dymax.com - www.dymax.com.cn

