

NEWS RELEASE

For Immediate Release
August 27, 2010

Contact: Applications Engineering

DYMAX President Appointed to Manufacturing Council

Greg Bachmann, president of Torrington, CT-based DYMAX Corporation, is among 24 manufacturing leaders appointed to the 2010 Manufacturing Council by U.S. Commerce Secretary Gary Locke. The Council advises the Secretary on matters relating to the competitiveness of the manufacturing sector, and government policies and programs that affect U.S. manufacturers.

“A vibrant manufacturing sector isn't just critical for the millions of Americans whose jobs depend on it,” Locke said. “Manufacturing is absolutely central to driving the innovation that fuels the American economy.”

Originally established in 2004 and re-chartered on July 14, 2010, the Manufacturing Council members represent a broad cross section of U.S. industry, with the Secretaries of Labor, Energy, and Treasury serving as ex-officio members. See the [Manufacturing Council](#) website for more information and a complete list of members.

In addition to their headquarters in Torrington, DYMAX has locations in [Germany](#), [China](#), [Hong Kong](#), and [Korea](#) which serve the assembly needs of the [medical](#), [electronic](#), [optical](#), [automotive](#), [appliance](#), [metal finishing](#), [power generation](#), and [industrial](#) markets worldwide.

[DYMAX Corporation](#) is a leading technology-based company specializing in the formulation, manufacture, and service of advanced assembly [adhesives](#), [coatings](#), [epoxies](#), [masking resins](#), and [light-curing systems](#).

For more information, contact DYMAX Corp., 318 Industrial Lane, Torrington, CT 06790; Phone: 860-482-1010; Fax: 860-496-0608; Toll Free: 1-877-DYMAX-UV (1-877-396-2988); e-mail: info@dymax.com or visit our website at www.dymax.com.

DYMAX Corporation - 318 Industrial Lane - Torrington, CT 06790 - Phone: 860.482.1010 - Fax: 860.496.0608 - E-mail: info@dymax.com - www.dymax.com

DYMAX Europe GmbH - Trakehner Strasse 3 - D-60487 Frankfurt am Main - Germany - Phone: +49 (0) 69 / 7165-3568 - Fax: +49 (0) 69 / 7165-3830 - E-mail: dymaxinfo@dymax.de - www.dymax.de

DYMAX UV Adhesives & Equipment (Shenzhen) Ltd - Unit 807, Talfook Building, No. 9 Shi Hua Road, Futian Free Trade Zone, Shenzhen, China 518038 - Phone: +86.755.83485759 - Fax: +86.755.83485760 - E-mail: dymaxasia@dymax.com - www.dymax.com.cn

DYMAX Asia (HK) - Unit 1006, 10/F., Camarvon Plaza, No. 20, Camarvon Road, T.S.T., Kowloon, Hong Kong - Phone: +852.2460.7038 - Fax: +852.2460.7017 - E-mail: dymaxasia@dymax.com - www.dymax.com.cn

DYMAX Korea LLC - #903, CCMM B/D, 12 Yeoido-Dong, Youngdungpo-Gu, Seoul, Korea, 150-869 - Phone: 82-2-784-3434 - Fax: 82-2-784-5775 - E-mail: info@dymax.kr - www.dymax.co.kr

CAPTION

Greg Bachmann, President and CEO, DYMAX Corporation, to serve on 2010 Manufacturing Council



#

© 2010 DYMAX Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by DYMAX Corporation, U.S.A.

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. DYMAX does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in DYMAX's standard Conditions of Sale. DYMAX does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than DYMAX or act as a grant of license under any DYMAX Corporation Patent. DYMAX recommends that each user adequately test its proposed use and application before actual repetitive use, using the data contained in this bulletin as a general guide. P234

DYMAX Corporation - 318 Industrial Lane - Torrington, CT 06790 - Phone: 860.482.1010 - Fax: 860.496.0608 - E-mail: info@dymax.com - www.dymax.com

DYMAX Europe GmbH - Trakehner Strasse 3 - D-60487 Frankfurt am Main - Germany - Phone: +49 (0) 69 / 7165-3568 - Fax: +49 (0) 69 / 7165-3830 - E-mail: dymaxinfo@dymax.de - www.dymax.de

DYMAX UV Adhesives & Equipment (Shenzhen) Ltd - Unit 807, Talfook Building, No. 9 Shi Hua Road, Futian Free Trade Zone, Shenzhen, China 518038 - Phone: +86.755.83485759 - Fax: +86.755.83485760 - E-mail: dymaxasia@dymax.com - www.dymax.com.cn

DYMAX Asia (HK) - Unit 1006, 10/F., Carnarvon Plaza, No. 20, Carnarvon Road, T.S.T., Kowloon, Hong Kong - Phone: +852.2460.7038 - Fax: +852.2460.7017 - E-mail: dymaxasia@dymax.com - www.dymax.com.cn

DYMAX Korea LLC - #903, CCMM B/D, 12 Yeoido-Dong, Youngdungpo-Gu, Seoul, Korea, 150-869 - Phone: 82-2-784-3434 - Fax: 82-2-784-5775 - E-mail: info@dymax.kr - www.dymax.co.kr