


## FOR IMMEDIATE RELEASE

Contact: Nermine Abdel-Hakim  
Marketing Communications Specialist  
Dymax Corporation  
(860) 482-1010  
[nabdel-hakim@dymax.com](mailto:nabdel-hakim@dymax.com)

## New Easily Peelable Maskant by Dymax for PWB Connectors and Board-Level Areas

*Compatible with Gold and Copper Connector Pins*

Torrington, Connecticut – January 25, 2017.... Dymax Corporation's recently launched SpeedMask® 9-7001, a light-curable maskant designed for protecting connectors and board-level areas from both solvent based and light-curable conformal coatings. Cured masks withstand wave solder and reflow temperatures and are easily removed in one piece, saving time and eliminating the concern of ionic contamination or residue left behind by other masking methods. The residue free surface after removal results in passing SIR testing per IPC-TM-650 and zero keep-out violations.



This halogen and silicone-free maskant is compatible with gold and copper connector pins, cures upon exposure to light and is designed to provide protection of connectors with no discoloration or corrosion. It is extremely thixotropic and is ideal for manual or automated dispensing on boards or components that may be difficult to mask.

For additional information, visit [www.dymax.com](http://www.dymax.com) or contact Dymax Application Engineering at [info@dymax.com](mailto:info@dymax.com) or 860-482-1010. Dymax Corporation develops innovative adhesive, coating, dispensing, and light-curing systems for applications in a wide range of markets. Major markets include aerospace, appliance, automotive, electronics, industrial, medical device, and metal finishing.

###



© 2015 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

Technical data provided is of a general nature and is based on laboratory test conditions. Dymax does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in Dymax standard Conditions of Sale published on our website at [www.dymax.com/pdf/Conditions\\_of\\_Sale.pdf](http://www.dymax.com/pdf/Conditions_of_Sale.pdf). Dymax does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this communication shall act as a representation that the product use or application will not infringe on a patent owned by someone other than Dymax or act as a grant of license under any Dymax Corporation Patent. Dymax recommends that each user adequately test its proposed use and application before actual repetitive use, using the data in this communication as a general guideline.

P370

Dymax Corporation  
860.482.1010 | [info@dymax.com](mailto:info@dymax.com) | [www.dymax.com](http://www.dymax.com)

Dymax Europe GmbH  
+49 (0) 611.962.7900 | [info\\_de@dymax.com](mailto:info_de@dymax.com) | [www.dymax.de](http://www.dymax.de)

Dymax Engineering Adhesives Ireland Ltd.  
+353.1.231.4696 | [info\\_ie@dymax.com](mailto:info_ie@dymax.com) | [www.dymax.ie](http://www.dymax.ie)

Dymax Oligomers & Coatings  
860.626.7006 | [info\\_oc@dymax.com](mailto:info_oc@dymax.com) | [www.dymax-oc.com](http://www.dymax-oc.com)

Dymax UV Adhesives & Equipment (Shanghai) Co. Ltd.  
+86.21.37285759 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax UV Adhesives & Equipment (Shenzhen) Co. Ltd.  
+86.755.83485759 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax Asia (H.K.) Limited  
+852.2460.7038 | [dymaxasia@dymax.com](mailto:dymaxasia@dymax.com) | [www.dymax.com.cn](http://www.dymax.com.cn)

Dymax Asia Pacific Pte. Ltd.  
+65.6752.2887 | [info\\_ap@dymax.com](mailto:info_ap@dymax.com) | [www.dymax-ap.com](http://www.dymax-ap.com)

Dymax Korea LLC  
+82.2.784.3434 | [info\\_kr@dymax.com](mailto:info_kr@dymax.com) | [www.dymax.com/kr](http://www.dymax.com/kr)